

L Number	Hits	Search Text	DB	Time stamp
1	0	( Persisten near object near2 mapping near2 an near object).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 10:07
2	0	( Persistent near object near2 mapping near2 an near object).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/03 10:07
-	2	" 6,418,447 B1"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/30 11:36
-	132756	(( select\$3 or retriev\$3) with input\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 09:45
-	1913	(( select\$3 with retriev\$3) with input\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 09:50
-	24	(( select\$3 or retriev\$3) with input\$3 with class with object).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:05
-	0	( (( select\$3 or retriev\$3) with input\$3 with class with object).ab.) & interpreter\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:06
-	2	(( select\$3 or retriev\$3) with class with object same interpreter\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:08
-	22	(( select\$3 or retriev\$3) same calculat\$6 same interpreter\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:11
-	6	(( select\$3 or retriev\$3) with class with object same interpreter\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:10
-	51	(( select\$3 or retriev\$3) with (method or function) same interpreter\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:13
-	4	( (( select\$3 or retriev\$3) with (method or function) same interpreter\$3 ).ab.) & math\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:17
-	18	( math\$ with (object near2 oriented)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:54
-	361	( math\$ with convert\$).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/02 10:46

-	73	( math\$ with convention\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:47
-	0	( ( math\$ with convention\$3).ab.) & ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:48
-	1	( ( math\$ with convention\$3).ab.) & rank\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:48
-	0	( ( math\$ with convention\$3).ab.) & ( class near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:48
-	2	( math\$ with (class near2 object)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:50
-	57	( math\$ with class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:51
-	1	( math\$ with convention\$3 same class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:55
-	2	( math\$ with convention\$3 same (object near2 oriented))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 10:56
-	27	( math\$ same (object near2 oriented)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 14:46
-	0	( math\$ with convention\$3 same (java near2 virtual)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 14:48
-	0	( math\$ same (java near2 virtual)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 14:49
-	3	( math\$ same (java near2 virtual))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 15:04
-	100	( math\$ same ( java))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 15:04
-	1	( math\$ with (java near2 virtual))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:40

-	0	( conventional with math\$ with table\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:42
-	0	( conventional with math\$ same table\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:42
-	0	( convent\$6 with math\$ with table\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:43
-	41	( conventional with math\$ with table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:45
-	0	zL5 & math\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:45
-	0	( ( conventional near2 table\$1).ab. ) & math\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:46
-	651	( conventional near2 table\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:46
-	26	( conventional near2 table\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 17:05
-	2	(( conventional with table\$1)& tool).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 16:48
-	0	( ( conventional with table\$1).ti. ) & math\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/02 17:06
-	56	( conventional with table\$1).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 10:06